

## REVIEW ARTICLE

## Development of organic cultivation of medicinal plants in the North India

AFAQ AHMAD MALIK<sup>1\*</sup>, JAVED AHMAD<sup>1\*</sup>, M.Z. ABDIN<sup>2</sup>

<sup>1</sup>Department of Botany  
Hamdard University  
New Delhi-110062  
India

<sup>2</sup>Centre for Transgenic Plant Development  
Hamdard University  
New Delhi-110062  
India

\*corresponding authors: phone: +91-9797953386, e-mail: afaqjhu@gmail.com;  
phone: +91-9312524573, e-mail: javedamd@hotmail.com

## S u m m a r y

Out of 750,000 known plants in the world, a major part are medicinal and aromatic plants – a source of raw material for folk and documented systems of medicines worldwide. The folk and documented medicine in India use about 6,000 plants, although, less than 50 species have been scientifically studied and cultivated to any sizeable extent. The main factor behind the slow pace of domestication of medicinal plants is the absence of knowledge on cultivation practices and lack of suitable technology. About 90% of the medicinal plants for trade are harvested from the wild and the demand for traditional medicinal plants is increasing rapidly. Continuous exploitation of several medicinal plant species from the wild has resulted in their population decline. Hence, an effective strategy is needed for their sustainable utilization and conservation. Cultivation is the most effective way of conservation. Cultivation can also ensure production of standardized raw materials. Thereby, enhances the quality of the manufactured products. The methods and techniques of modern chemical agriculture cannot be adopted for the cultivation of medicinal plants as they should be free from harmful residues. Pesticides and other harmful chemicals have been detected in some herbal products. Hence, to ensure a safe, residue-free and reliable material for use in herbal drug industry, there is an urgent need to adopt strategies for cultivation of medicinal plants that are consistent with principles of good agricultural practices.

**Key words:** *Herbal drugs, herbal medicine, traditional medicine, conservation, organic farming*

---

## INTRODUCTION

Thousands of higher plants have been reported to be of high medicinal value and constitute a major source of raw material for the folk and documented systems of medicines worldwide, like Ayurveda, Unani, Tibetan, and Chinese systems. Medicinal usage constitutes the most common human use of biodiversity. About three-quarters of the world's population use medicinal plants to cover all or part of their health care needs [1-3]. Medicinal plants and traditional medicines have developed renewed interest to developed nations due to globalization [4] and discovery of new biologically-active molecules by the drug industry [5]. People are coming close to nature and natural products derived from the herbs, shrubs and trees of great medicinal value because of the fact that herbal medicines have substantially fewer side effects and are within range because of their low costs and easy availability.

Herbal drugs are obtained from various plant parts like stem, bark, leaves, flowers, fruits, seeds, root and a variety of plant products like gum, oil, resins etc. Very low number of medicinal plants is cultivated. About 90% of the medicinal plants for trade are harvested from the wild sites [6]. Continuous exploitation of several medicinal plant species from the wild without proper replenishment resulted in the population decline of the concerned species [7-9]. Medicinal plant collectors prefer to uproot the entire plant in the field rather to gather the specific parts selectively which is a time-consuming process. As a result a number of important medicinal plants have disappeared from large patches in natural habitats. Other factors like overpopulation, pollution, urbanization, shrinking forest cover and overharvesting have worsen the situation.

Thus, proper conservation of medicinal plants is the need of the hour for their protection. Cultivation is the best and most reliable measure of conservation. Farmers can enhance their economic status by taking to the cultivation of medicinal plants. Local people in the villages can grow medicinal and aromatic plants in kitchen gardens and in waste lands around the village. This will reduce the pressure on the natural habitats because it takes a lot of time to go for wild harvesting in the forest for a particular species. Some viable approaches in this direction include: (i) providing authentic seed material of medicinal and aromatic plants to the villagers and farmers keeping in mind the altitude, climatic conditions and topography of particular area, (ii) encouraging them by giving technical guidance and (iii) providing proper market of the production. In this way, pressure on wild populations will be reduced and economic status of the growers will increase. Cultivation will also benefit some medicinal plants which are near to be extincted to revive their populations in natural habitats. Some studies have earlier been published by our group on the cultivation of medicinal and aromatic plants [10-13].

A fundamental transition distant from today's wasteful and polluting farming systems is needed for the cultivation of medicinal plants. Chemical fertilizers

and synthetic pesticides were introduced in the early 1960's, which helped in increasing the yields of food crops and resulted in the "Green Revolution". However, they had adverse effects, which became evident [14]. Chemical fertilizers have adverse effects on the micro-flora and fauna of soil and deplete it of its natural potency to revive its nutrient capacity. Overuse of fertilizers and their subsequent leaching favours some species at the expense of others in the neighbouring fields and water-bodies leading to a reduction in diversity. Pesticides not only kill pests, but also other animals, such as pollinators and predators that are beneficial to agriculture. Over-use of pesticides in agriculture resulted in residues in vegetables and fruits above their levels of safety [15]. Thus, the awareness concerning harmfulness of modern agriculture thus got its momentum. To revive the good old agricultural practices and get rid of chemical fertilisers and pesticides which have ruined natural resources and soil microorganisms in the last few decades [16], hundreds of farmers have switched to organic farming [17] which is nothing new to India. Until 1960's, organic was the only means of farming, which is still successfully practiced in the mountains and hilly areas of the North India and is again gaining wide attention among all stake holders such as farmers/growers, processors, traders and certification bodies, including government and some non-government organizations. In this regard, a project "Empowerment of Rural Communities to Export Organic Spices" was initiated by the Spice Board of India in which 1500 tribal families got benefitted [18]. In 2001, the Government of India implemented the National Programme for Organic Production (NPOP) concerned with an accreditation programme for certification bodies and norms for organic production based on IFOAM standards, as well as promotion of organic farming. Regulatory body of NPOP is Agricultural and Processed Food Products Export Development Authority (APEDA) under Ministry of Commerce.

Organic farming is required not only for the cultivation of food crops but also for medicinal plants [19]. Medicinal plants should be free from pesticidal residues. Pesticides, which are mainly applied on crops for the protection of plants against a range of pests, have been found in crude medicinal plants as well as in other plant products like gums, resins and essential oils [14, 20, 21]. Such plants cannot be used for manufacturing of medicine. A few reports are there which indicate that some herbal products of Indian origin sold via the Internet that claims Good Manufacturing Practices contain detectable amounts of heavy metals like lead, mercury and arsenic [22]. Hence, to ensure a safe and reliable material for use in herbal drug industry, there is an urgent need to adopt strategies for cultivation of medicinal plants that are consistent with principles of good agricultural practices.

In India, the Central Institute of Medicinal and Aromatic Plants (CIMAP) is working in the area of development of cultivation technology, germplasm multiplication and conservation. Similarly, the National Medicinal Plants Board (NMPB) under its Contractual Farming Scheme provides subsidies for intensive cultivation of priority medicinal plant species. However, with certain preconditions including

promotion of organic farming. The Dutch company IHC/VanderStelt procures organically cultivated medicinal plants from India and distributes them in The Netherlands and Germany. KIT Royal Tropical Institute (Amsterdam, The Netherlands), Centre for Sustainable Development (Dehradun, India) and IHC/VanderStelt jointly support the organic cultivation of medicinal and aromatic plants in the northern state of Uttaranchal [23].

Modern methods, like prediction of germination potential [24] etc. are nowadays applied in medicinal plant research and contribute to the progress of the field cultivation. However, often a relatively low yield of active components and difficulties in standardization are bottlenecks in medicinal plants exploitation. In order to enhance the production of bioactive components efforts have been made worldwide by adopting biotechnological methods and a more natural agro-technological approach. The factors such as soil and climatic conditions, growing techniques, irrigation, as well as fertilization affect the content and composition of secondary metabolites in medicinal plants. Plant nutrition is one of the most important factors that increase plant production due to its impact on the primary metabolism which is, in turn, linked with secondary metabolism. This may be achieved by inoculation of the roots with microorganisms like mycorrhizae, plant growth promoting bacteria, organic manures and inorganic fertilizers. Till now, there have been so many studies reporting the effects of agricultural practices on the secondary metabolites in medicinal and aromatic plants [25-30]. At the Herbal Garden, Jamia Hamdard (Hamdard University), New Delhi about 150 species of important medicinal and aromatic plants are cultivated purely on organic farming basis (tab. 1). The agro-technologies and bio-profiles of nearly half of the species have been evaluated and are ready to be published for the benefit of people involved and interested in the cultivation and propagation of medicinal and aromatic plants. A list of these plants has been given below (tab. 2).

**Table 1.**

Facts and figures about Jamia Hamdard Herbal Garden (JHHG), New Delhi, India

Total medicinal plant species	180
Pteridophytes	05
Gymnosperms	11
Angiosperms	164
Herbs	70
Shrubs	44
Climbers	15
Trees	35
Species under organic cultivation	150
Agro-technologies developed	71

Table 2.

## Indian traditional medicinal plants under organic cultivation in Jamia Hamdard Herbal Garden (JHGG), New Delhi, India

S.No.	Botanical Name	Family	English Name	Local Name	Part(s) Used	Medicinal Properties/Uses
1	<i>Abrus precatorius</i> L.	Fabaceae	Indian liquorice	Ratti, Ghumchi	Leaves, seeds	Swellings, purgative, emetic, aphrodisiac, nervous disorders
2	<i>Acorus calamus</i> L.	Araceae	Sweet flag	Bach/Vach	Rhizome	CNS stimulant, carminative, tonic
3	<i>Adhatoda vasica</i> Nees	Acanthaceae	Malabar nut	Vasaka, Arusa	Leaves	Expectorant, bronchitis
4	<i>Aloe barbadensis</i> Mill.	Xanthorrhoeaceae	Aloe	Kumari, Chikanvar	Leaves	Purgative, cosmetics
5	<i>Alpinia galanga</i> (Linn.) Sw.	Zingiberaceae	Greater galangal	Bara kulanjian	Rhizome	Rheumatism, Stomach disorders, tonic
6	<i>Althaea officinalis</i> L.	Malvaceae	Marshmallow	Gul khera	Roots	Demulcent, emollient, (Herbal cough remedy).
7	<i>Ammi majus</i> Linn.	Apiaceae	Bishop's weed	Atri lal	Fruits	Leucoderma, vitiligo
8	<i>Andrographis paniculata</i> (Burm. f.) Wall. Ex Nees	Acanthaceae	King of bitters	Kalmegh	Stem, leaves, inflorescence	Tonic, fever, worms, dysentery
9	<i>Anethum graveolens</i> L.	Apiaceae	Dill	Sowa, Sotapa	Fruits	Condiment, carminative
10	<i>Artemisia annua</i> L.	Asteraceae	Sweet worm- wood	-----	Aerial part	Malaria, fevers
11	<i>Asparagus adscendens</i> Roxb.	Asparagaceae	Asparagus	Sufed musli	Roots	Demulcent, diarrhoea, aphrodisiac
12	<i>Asparagus racemosus</i> Willd.	Asparagaceae	Wild asparagus	Shatawari, Satmuli	Roots	Demulcent, diuretic, aphrodisiac
13	<i>Bacopa monnieri</i> (L.) Pennell	Scrophulariaceae	Thyme leaved graticula	Brahmi	Whole plant	Diuretic, Nerve tonic, cardiotoxic, insanity
14	<i>Balanites aegyptiaca</i> (L.) Delile	Balanitaceae	Egyptian balsam	Hingot	Seeds, oil	Steroid hormones, oral contraceptives
15	<i>Barleria prionites</i> L.	Acanthaceae	Barleria or porcupine flower	Kala Bansa	Bark juice, leaves, roots	Diaphoretic, diuretic, febrifuge
16	<i>Caesalpinia crista</i> L.	Caesalpinaceae	Molucca bean	Karanjwa	Seeds	Tonic, antipyretic, intermittent fevers
17	<i>Cannabis sativa</i> L.	Cannabaceae	Hemp	Bhang	Leaves, flowers	Sedative, anti-spasmodic, analgesic, stomachic

S. No.	Botanical Name	Family	English Name	Local Name	Part(s) Used	Medicinal Properties/Uses
18	<i>Carissa carandas</i> L.	Apocynaceae	Karanda	Karaunda	Fruits	Pickles, jams
19	<i>Cassia angustifolia</i> Vahl	Caesalpinjiaceae	Indian senna	Sena	Leaves, fruits	Laxative, cathartic, purgative
20	<i>Catharanthus roseus</i> (L.) G. Don	Apocynaceae	Periwinkle	Sada bahar	Roots, leaves	Anti-cancerous properties
21	<i>Centella asiatica</i> (L.) Urban	Hydrocotylaceae	Asiatic pennywort	Brahmi	Whole plant	Diuretic, tonic, hypotensive, CNS & skin diseases
22	<i>Cichorium intybus</i> L.	Asteraceae	Chicory	Kasni	Roots	Fever, vomiting, diarrhoea, diuretic, spleen enlargement, stomachic
23	<i>Cissus quadrangularis</i> L.	Vitaceae	Veldt grape	Hadjor	Stem	Healing of fractured bone
24	<i>Clerodendron phlomidis</i> L.f.	Lamiaceae	-	Arni	Leaves, Roots, root bark	Guinea worms, gonorrhoea, demulcent, nervous disorders
25	<i>Clitoria ternatea</i> L.	Fabaceae	Butterfly pea	Shankpushpi, Apajit	Seeds, roots	Purgative, cathartic, diuretic
26	<i>Coleus forskohlii</i> (Willd.) Briq.	Lamiaceae	Coleus	Patharchur	Tubers	Hypertension, asthma, cardiac problems, vasodilatation
27	<i>Gymbopogon citratus</i> (DC.) Stapf	Poaceae	Lemon grass	Sugandh rohisha	Leaf volatile oil	Cold, cosmetics, herbal tea
28	<i>Datura stramonium</i> L.	Solanaceae	Thorn apple	Dhatura	Leaves, seeds	Expectorant, demulcent, asthma, CNS stimulant
29	<i>Dioscorea bulbifera</i> L.	Dioscoreaceae	Potato yam	Rat alu	Bulbs	Asthma, bronchitis, piles, dyspepsia, tumours, source of diosgenin
30	<i>Dioscorea floribunda</i> Mart. & Gal.	Dioscoreaceae	Medicinal yam	Kham alu	Bulbs	Source of steroid hormone diosgenin
31	<i>Dracaena sanderiana</i> Sander ex Mast.	Asparagaceae	Ribbon Plant	Lucky bamboo	Whole plant extract	Antibacterial, antifungal
32	<i>Embelica officinalis</i> Gaertn	Euphorbiaceae	Indian gooseberry	Amla, Aonla	Fruits, flowers, bark	Diuretic, carminative, cooling, astringent
33	<i>Glycosmis pentaphylla</i> (Retz.) DC.	Rutaceae	Orangeberry	Ban nimbu	Fruits	Fever, liver complaints, vermifuge
34	<i>Glycyrrhiza glabra</i> L.	Fabaceae	Licorice	Mulhatti	Roots	Tonic, laxative, gastric ulcers
35	<i>Gymnema sylvestre</i> R. Br.	Asclepiadaceae	Periploca of the woods	Gudmar	Leaves	Jaundice
36	<i>Jatropha curcas</i> L.	Euphorbiaceae	Barbados nut	Jangli arand, Bagbherenda	Seeds	Purgative, important source of bio-diesel

S. No.	Botanical Name	Family	English Name	Local Name	Part(s) Used	Medicinal Properties/Uses
37	<i>Lepidium sativum</i> L.	Brassicaceae	Garden cress	Halon, Halim	Leaves, seeds	Stimulant, diuretic, tonic, aphrodisiac
38	<i>Linum usitatissimum</i> L.	Linaceae	Flax	Alsi	Leaves, flowers, seeds	Gonorrhoea, nerve & cardiac tonic, diuretic, emollient
39	<i>Majorana hortensis</i> Moench	Lamiaceae	Sweet marjoram	Murwa	Leaves and flower heads, essential oil	Sprains of paralytic limbs, carminative, stimulant
40	<i>Matricaria chamomilla</i> L.	Asteraceae	German chamomile	Babuna	Flower heads	Tonic, gastric stimulant
41	<i>Mentha aquatica</i> L.	Lamiaceae	Water mint	Tivra	Volatile oil	Headache, cholera
42	<i>Mentha arvensis</i> L.	Lamiaceae	Field mint	Pudina	Leaves, volatile oil	Carminative, refrigerant, stimulant
43	<i>Mentha piperita</i> L.	Lamiaceae	Peppermint	Vilaiti pudina	Leaves, volatile oil	Carminative, vomiting, headache, rheumatic pains, cough drops
44	<i>Moringa oleifera</i> Lamk.	Moringaceae	Drumstick tree	Soanjina	Seed oil	Gout, acute rheumatism
45	<i>Nerium indicum</i> Mill.	Apocynaceae	Oleander	Kaner	Roots, dried leaves	Ringworm, cardiac stimulant
46	<i>Nyctanthes arbor-tristis</i> L.	Nyctanthaceae	Tree of sorrow	Harsinghar	Leaves, seeds	Laxative, diuretic, fevers, cholagogue, expectorant
47	<i>Ocimum basilicum</i> L.	Lamiaceae	Sweet basil	Ban-tulsi	Leaves	Dysentery, chronic diarrhoea
48	<i>Ocimum sanctum</i> L.	Lamiaceae	Holy basil	Tulsi	Leaves, seeds	Bronchitis, asthma, cold, digestion, urinary complaints
49	<i>Plantago major</i> L.	Plantaginaceae	Broadleaf plantain	Lahuriya	Seeds	Inflammation of GIT & GUT
50	<i>Plantago ovata</i> Forsk.	Plantaginaceae	Blonde psyllium	Isabgol	Seeds	Dysentery, digestive disorders
51	<i>Pluchea lanceolata</i> Oliver and Hiern	Asteraceae	Indian camphorweed	Rasna	Aerial part	Cooling effect
52	<i>Plumbago zeylanica</i> L.	Plumbaginaceae	Leadwort	Chitrak	Roots, milky juice	Appetizer, skin-diseases, diarrhoea, scabies, CNS stimulant
53	<i>Polygonum tuberosum</i> L.	Agaraceae	Tuberose	Rajni Gandha, Gulshaba	Bulbs	Diuretic, emetic, gonorrhoea

S. No.	Botanical Name	Family	English Name	Local Name	Part(s) Used	Medicinal Properties/Uses
54	<i>Psoralea corylifolia</i> L.	Fabaceae	Babchi	Babchi	Seeds (Resin)	Leucoderma, leprosy, skin diseases
55	<i>Rauwolfia serpentina</i> (L.) Benth. Ex Kurz	Apocynaceae	Indian snakeroot	Sarap-gandha, Chotra-chand	Roots	Insanity, insomnia, schizophrenia, CNS disorders
56	<i>Rauwolfia tetraphylla</i> L.	Apocynaceae	Wild snake root	Bara-chandrika	Bark	Chronic skin infections
57	<i>Rourea minor</i> (Gaertn.) Alston	Coniariaceae	-----	Vidhara	Roots	Diabetes, rheumatism
58	<i>Ruta graveolens</i> L.	Rutaceae	Garden rue	Sadab	Leaves, oil	Skin diseases, vitiligo, anthelmintic, antispasmodic
59	<i>Santalum album</i> L.	Santalaceae	White sandal wood	Safed chandan	Roots, wood	Cooling, diaphoretic, diuretic, expectorant, fevers
60	<i>Saraca asoca</i> (Roxb.) de Wilde	Caesalpiniaceae	Asoka tree	Ashok	Stem bark	Astringent, antipyretic
61	<i>Sarcostemma acidum</i> (Roxb.) Voigt	Asclepiadaceae	Moon plant	Somlata	Stem	Insect repellent
62	<i>Silybum marianum</i> (L.) Gaertn.	Asteraceae	Holy thistle, Milk thistle	-----	Seeds, Flowers	Anti-diabetic, liver diseases
63	<i>Solanum nigrum</i> L.	Solanaceae	Black nightshade	Makoi	Leaves, fruits	Liver ailments, dropsy
64	<i>Tamarix aphylla</i> (L.) Karst.	Tamaricaceae	Athel tamarisk	Farash	Flowers, dried bark	Kidney stone, urine retention, against wound and injuries
65	<i>Tecoma stans</i> (L.) H. B. & K.	Bignoniaceae	Yellow elder	Pila-kaner	Roots	Diuretic, vermifuge, tonic
66	<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.	Menispermaceae	Gulancha tinospora	Guduchi, Giloe	Dried stem	Dysentery, joints pain, arthritis
67	<i>Tylophora indica</i> (Burm. f.) Merr.	Asclepiadaceae	Emetic swallow wort	Antamul	Leaves	Fevers, rheumatic arthritis
68	<i>Urginea indica</i> (Roxb.) Kunth	Liliaceae	White squill, sea onion	Jangli piyaz	Bulbs	Expectorant, stimulant, cardio tonic, bronchitis, epidermal carcinoma, asthma
69	<i>Vetiveria zizanioides</i> (L.) Nash	Poaceae	Vetiver	Khas- khas	Root paste	Stimulant, diaphoretic, refrigerant, swellings
70	<i>Viola serpens</i> Wall.	Violaceae	Violet	Banaishah	Whole plant, flowers	Demulcent, biliousness, lung troubles, blood purifier
71	<i>Withania somnifera</i> (L.) Dunal	Solanaceae	Indian ginseng	Asgand	Roots, leaves	General weakness, diuretic, antibiotic, antibacterial



## ACKNOWLEDGEMENTS

The authors are highly thankful to the workers at the Herbal Garden, Hamdard University, New Delhi for their tireless efforts in cultivating the medicinal plants year after year.

## REFERENCES

1. IUCN. Guidelines on the conservation of medicinal plants. IUCN, Gland, 1993.
2. WHO. WHO Traditional Medicine Strategy 2002–2005. Geneva 2002. [http://www.who.int/medicines/library/trm/trm\\_strat\\_eng](http://www.who.int/medicines/library/trm/trm_strat_eng).
3. Gilani AH, Atta-ur-Rahman. Trends in ethnopharmacology. *J Ethnopharmacol* 2005; 100:43-49.
4. Verpoorte R, Choi YH, Kim HK. Ethnopharmacology and systems biology: A perfect holistic match. *J Ethnopharmacol* 2005; 100:53-56.
5. Houghton PJ. The role of plants in traditional medicine and current therapy. *J Altern Compl Med* 1995; 1: 131-143.
6. Sharma R. Medicinal Plants of India- An Encyclopaedia, 1<sup>st</sup> ed. Delhi 2003.
7. Merillon JM, Ramawat KG. Mechanism and control. In: Ramawat KG, Merillon JM (eds.). *Biotechnology: Secondary Metabolites*. USA, Science Pub Inc., 1999:241-256.
8. Rout GR, Samantray S, Das P. *In vitro* manipulation and propagation of medicinal plants. *Biotechnol Adv* 2000; 18:91-120.
9. Ahmad J, Malik AA, Shakya L. Urban development: a threat to wild species of medicinal and aromatic plants. *Middle-East J Sci Res* 2013; 13:947-951.
10. Malik AA, Ahmad J, Mir SR, Ali M, Abdin MZ. Influence of chemical and biological treatments on volatile oil composition of *Artemisia annua* Linn. *Ind Crop Prod* 2009; 30:380-383.
11. Malik AA, Ahmad J, Suryapani S, Abdin MZ, Mir SR, Ali M. Volatiles of *Artemisia annua* L. as influenced by soil application of organic residues. *Res J Med Plant* 2012; 6:433-440.
12. Malik AA, Suryapani S, Ahmad J, Abdin MZ, Ali M. Effect of inorganic and biological fertilizer treatments on essential oil composition of *Ruta graveolens* L. *J Herbs Spices Med Plants* 2012; 18:191-202.
13. Nadim MM, Malik AA, Ahmad J, Bakshi SK. The essential oil composition of *Achillea millefolium* L. cultivated under tropical condition in India. *World J Agric Sci* 2011; 7:561-565.
14. Maheshwari RC. Cultivation, post-harvesting and quality assurance of medicinal plants in Uttaranchal. New Delhi 2006.
15. HAU. Emerging challenge to Haryana's Agricultural Economy vis-à-vis diversification in agriculture. CCS Haryana Agricultural University 2003:52.
16. Suryapani S, Umar S, Malik AA, Ahmad A. Symbiotic nitrogen fixation by lentil improves biochemical characteristics and yield of intercropped wheat under low fertilizer input. *J Crop Improv* 2013; 27:53-66.
17. Deccan Chronicle Organic farming gains momentum in Vellore. (accessed January 18, 2010). <http://www.deccanchronicle.com>
18. Fock K. Development marketplace project: empowerment of rural communities to export organic spices. Second interim progress report, No. 886, 13 March 2001; UNCTAD/ WTO International Trade Centre.
19. Malik AA, Suryapani S, Ahmad J. Chemical vs organic cultivation of medicinal and aromatic plants: the choice is clear. *Int J Med Arom Plants* 2011; 1:5-13.
20. Aslam M. Asian medicine and its practice in Britain. In: Evans WC (ed.). *Trease and Evans' Pharmacognosy*. 14<sup>th</sup> ed. London 1996:488-504.
21. Zuin VG, Vilegas JHY. Pesticide residues in medicinal plants and phytomedicines. *Phytother Res* 2000; 14:73-88.
22. Ernst E. Heavy metals in traditional Indian remedies. *Eur J Clin Pharmacol* 2002; 57:891-896.
23. Van de Kop P, Alam G, De Steenhuijsen P, B. Developing a sustainable medicinal plant chain in India: linking, people, markets and values. In: Ruben R, Slingerland M, Nijhoff H (eds.). *Agro-food chains and networks for development*. Springer 2004:191-202.

24. Kumar B. Prediction of germination potential in seeds of Indian basil (*Ocimum basilicum* L.). J Crop Improv 2012; 26:532-539.
25. Herrera E, Tremblay N, Desroches B, Gosselin A. Optimization of substrate and nutrient solution for organic cultivation of medicinal transplants in multicell flats. J Herbs Spices Med Plants 1997; 4:69-82.
26. Pirzad A, Shakiba MR, Zehtab-Salmasi S, Mohammadi SA, Sharifi RS, Hassani A. Effects of irrigation regime and plant density on essential oil composition of German chamomile (*Matricaria chamomilla*). J Herbs Spices Med Plants 2011; 17: 07-118.
27. Romero FR, Delate K, Hannapel DJ, Liu Y, Murphy P. Horticultural and biochemical variations due to seed source and production methods in three *Echinacea* spp. J Herbs Spices Med Plants 2010; 16:167-192.
28. Shalaby AS, El-Gengaihi SE, Agina EA, El-Khayat AS, Hendawy SF. Growth and yield of *Echinacea purpurea* L. as influenced by planting density and fertilization. J Herbs Spices Med Plants 1997; 5:69-76.
29. Malik AA, Suryapani S, Ahmad J, Umar S, Abdin MZ, Mir SR. An attempt to enhance select secondary metabolite of *Artemisia annua* L. J Biol Sci 2013; 13:499-506.
30. Faravani M, Koorepaz S, Gholami BA, Zare Y. Biological effects of fertilizer treatments on growth, yield and yield components of black cumin. Herba Pol 2012; 58:15-28.

## ROZWÓJ EKOLOGICZNEJ UPRAWY ROŚLIN LECZNICZYCH W PÓŁNOCNYCH INDIACH

AFAQ AHMAD MALIK<sup>1\*</sup>, JAVED AHMAD<sup>1\*</sup>, M.Z. ABDIN<sup>2</sup>

<sup>1</sup>Department of Botany  
Hamdard University  
New Delhi-110062  
India

<sup>2</sup>Centre for Transgenic Plant Development  
Hamdard University  
New Delhi-110062  
India

\*autorzy, do których należy kierować korespondencję: tel.: +91-9797953386,  
e-mail: afaqjhu@gmail.com; phone: +91-9312524573, e-mail: javedamd@hotmail.com

### Streszczenie

Pośród 750 000 znanych roślin na świecie większość stanowią rośliny aromatyczne i lecznicze – źródło surowca dla medycyny ludowej i naukowej na całym świecie. W medycynie ludowej i naukowej w Indiach używa się około 6000 roślin, chociaż opracowano naukowo i uprawia się na mierzalną skalę mniej niż 50 z nich. Głównym powodem wolnego tempa udomowiania roślin leczniczych jest brak wiedzy na temat sposobów uprawy i brak przydatnej technologii. Około 90% roślin leczniczych przeznaczonych na sprzedaż otrzymuje się ze stanowisk naturalnych i popyt na tradycyjne rośliny lecznicze gwałtownie wzrasta.

Nieustanna eksploatacja niektórych gatunków w miejscach ich naturalnego występowania spowodowała zmniejszenie ich populacji. Potrzeba zatem efektywnej strategii ich zrównoważonego użycia i ochrony. Najbardziej efektywną metodą ochrony jest uprawa. Uprawa może także zapewnić produkcję wystandaryzowanego surowca, zatem podnosi także jakość produktu przetworzonego. Metody i technologia nowoczesnego rolnictwa z użyciem środków chemicznych nie mogą być zastosowane w uprawie roślin leczniczych, ponieważ powinny one być pozbawione szkodliwych substancji. W niektórych produktach ziołowych wykryto pestycydy i inne szkodliwe substancje chemiczne. Zatem, by zapewnić bezpieczny, wolny od dodatków innych szkodliwych substancji chemicznych surowiec dla produkcji leków ziołowych, istnieje paląca potrzeba wdrożenia sposobów uprawy roślin leczniczych spójnych z zasadami dobrej praktyki rolniczej.

**Słowa kluczowe:** *leki ziołowe, leczenie ziołami, medycyna tradycyjna, przechowywanie, ekologiczna uprawa*